

LIST PRICE BOOK SCHEDULE 80 CPVC PRESSURE FITTINGS

INCLUDES: SCHEDULE 80 CPVC 3/8" TO 12"

PRICE GROUP	DESCRIPTION	DISCOUNT MULTIPLIER
03	SCH 80 CPVC through 8"	
93	SCH 80 CPVC 10" and larger	
VB	GASKET FOR FLANGE	

Prices Effective May 16, 2022

Westlake
Pipe & Fittings

FLANGE INSTALLATION GUIDELINES

FLANGED CONNECTIONS: Properly installed flanged connections provide a transition fitting to join alternate piping materials, a mechanical means to connect to valves and other equipment, and when joining piping systems where frequent dismantling may be required. The grooved face of the flange provides a liquid tight seal on the gasket when flanges are properly assembled, supported, and proper torque is applied to the bolts.

GASKETS: Full face 1/8" thick elastomeric material with a Shore A Durometer hardness of 50-70; gasket material selected must be compatible with application and fluids conveyed. Variations in gasket material and shore hardness may affect sealing torque required.

FLANGE DIMENSIONS: Flange ring bolt hole dimensions conform to ANSI B 16.5 Class 150 bolt pattern. Threaded flange hubs are tapered iron pipe size threads per ANSI B2.1. Socket flange hubs conform to ASTM D2467 tapered socket dimensions.

PRESSURE RATING: Maximum pressure rating for molded flanges 1/2" thru 12" diameter 150psi non-shock at 73°F. Appropriate temperature de-rating factors must be applied when working at elevated temperatures greater than 73°F.

BOLTS AND BOLT TORQUE: Select proper bolt size, quantity, length, and washers for the specific sizes of flanges and equipment being assembled. Always use two (2) wide flat washers per bolt (one under the head and one under the nut). Threads should be clean and well lubricated.

⚠ WARNING: USE ONLY LUBRICANTS COMPATIBLE WITH PVC OR CPVC MATERIAL.

FLANGE ASSEMBLY:

Once the flange hub is correctly joined to the pipe and allowed to cure properly, and the piping system is supported properly, the method for joining two flanges is as follows:

Make sure the system is properly supported and aligned, and that mating surfaces of flanges being joined are not separated. Do not use bolts to align system or to pull flanges together.


⚠ WARNING: STRESS INDUCED FROM MISALIGNMENT OR IMPROPER SUPPORT WILL DAMAGE THE FLANGE.

1. With gasket in place align all bolt holes of mating flanges by rotating the flange ring into position.
2. Insert all bolts, flat washers (two standard flat washers per bolt), and nuts.
3. Be certain the faces of the mating surfaces are flush against the gasket prior to bolting down the flanges.
4. Using the illustrated bolt-tightening sequence shown below, tighten all the nuts by hand until snug. Once snug by hand, tighten the bolts diametrically opposite each other (180°) using the sequence shown with a torque wrench. Apply uniform pressure across the flange by tightening in stages of 5 ft-lb increments until final torque values shown in the following table are obtained. Do not over tighten.

⚠ WARNING!: OVER TORQUING WILL DAMAGE THE FLANGE.

5. Care must be taken to avoid bending stresses to the flange when mating to raised faced flange, metallic flange, stationary flanged objects or wafer-style valves. The plastic flange, attached pipe, fitting, and or valve must be supported properly to eliminate stress on the plastic flange.

RECOMMENDED FLANGE BOLT TORQUE FOR WESTLAKE PIPE & FITTINGS PLASTIC FLANGES



! NOTE: Bolt length based on connecting two (2) Westlake Pipe & Fittings flanges, two (2) flat washers, and nut. Actual Bolt lengths required and torque values necessary to seal will vary based on type of equipment being joined. Adjustments will need to be made to when assembling flanges to accommodate valves and other equipment.


Reference ASME B16.5 and ASME NM-1 as applicable. Contact Westlake Pipe & Fittings Technical Services for additional information.

! NOTE: certain applications may require flange bolts to be re-torqued at least 24 hours after gasket installation depending on flange materials being joined (i.e. transition from PVC to HDPE), and gasket material selected. Work with gasket manufacturer for proper material selection and other gasket design recommendations prior to installation. When evaluating gasket material, be certain to include any surge pressure that could be caused by opening valves and starting pumps.


Flange Size	No. of Bolt Holes	Bolt Dia. (in.)	Min. Bolt Length (in.)	Recommended Torque (Ft./Lbs.)
1/2	4	1/2	2	15-20
3/4	4	1/2	2	15-20
1	4	1/2	2 1/4	15-20
1 1/4	4	1/2	2 1/4	15-20
1 1/2	4	1/2	2 1/2	15-20
2	4	5/8	3	20-30
2 1/2	4	5/8	3 1/4	20-30
3	4	5/8	3 1/4	20-30
4	8	5/8	3 1/2	20-30
5	8	3/4	3 3/4	25-35
6	8	3/4	4	33-50
8	8	3/4	4 1/2	33-50
10	12	7/8	5	53-75
12	12	7/8	5	53-75

Use primer and appropriate heavy bodied solvent cement for materials being joined and allow to cure properly prior to flange assembly - follow Westlake Pipe & Fittings solvent welding instructions and/or contact Westlake Pipe & Fittings Technical Services for additional information.

Why Westlake Pipe & Fittings Recommends Sealant in Threaded Joints



Teflon tape, when compressed between male and female threads in PVC fittings joints, can cause deformation, leading to leakage, and possibly, to cracked female fittings.



Sealant, when compressed between threads, flows outward to achieve an effective seal against leakage in PVC fittings. Use a non-hardening thread sealant that is labeled safe for CPVC.

⚠ WARNING: care must be taken to avoid overtightening during assembly of threaded joints – do not overtorque. Generally 1 to 2 turns beyond finger tight is all that is required to obtain a leak-tight seal for most sizes. Do not use both a tape sealant and a paste sealant simultaneously. Contact Westlake Pipe & Fittings Technical Services for additional information.

! NOTE: Some oil based thread pastes and pipe joint compounds contain ingredients that attack PVC or CPVC materials. Suitability of thread paste sealants must be clearly established prior to use. Contact thread paste manufacturer confirm chemical compatibility prior to use.



Slip x Slip x Slip

TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-005	1/2	25	03	30.73
9801-007	3/4	25	03	31.26
9801-010	1	25	03	38.33
9801-012	1 1/4	10	03	80.78
9801-015	1 1/2	10	03	92.57
9801-020	2	10	03	103.01
9801-025	2 1/2	5	03	262.25
9801-030	3	5	03	262.25
9801-040	4	5	03	349.01
9801-060	6	2	03	908.25
9801-080	8	2	03	2601.63



Slip x Slip x Slip

REDUCER TEE (con't)				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-532	6 x 6 x 4*	5	03	1400.46
9801-585	8 x 8 x 6*	2	03	2570.84

*Sized with BUSHING




Slip x Slip x CTS Slip

HOTEL TRANSITION TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
9801-334CTS	3 IPS x 3 IPS x 3/4 CTS	5	03	338.11
9801-335CTS	3 IPS x 3 IPS x 1 CTS	5	03	338.11



Slip x Slip x Slip

REDUCER TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9801-072	1/2 x 1/4*	10	03	99.86
NEW 9801-073	1/2 x 3/8*	10	03	37.48
NEW 9801-074	1/2 x 3/4*	10	03	30.71
9801-101	3/4 x 3/4 x 1/2	25	03	68.50
9801-130	1 x 1 x 1/2	25	03	78.99
9801-131	1 x 1 x 3/4	25	03	78.99
9801-157	1 1/4 x 1 x 3/4*	12	03	150.11
9801-158	1 1/4 x 1 x 1*	15	03	97.93
9801-159	1 1/4 x 1 x 1 1/4*	15	03	97.93
NEW 9801-166	1 1/4 x 1 1/4 x 1/2*	10	03	181.11
9801-167	1 1/4 x 1 1/4 x 3/4*	10	03	154.55
9801-168	1 1/4 x 1 1/4 x 1*	10	03	154.55
9801-202	1 1/2 x 1 1/4 x 1*	10	03	154.55
NEW 9801-209	1 1/2 x 1 1/2 x 1/2	10	03	161.41
9801-211	1 1/2 x 1 1/2 x 1*	10	03	161.41
9801-212	1 1/2 x 1 1/2 x 1 1/4*	10	03	161.41
9801-247	2 x 2 x 1/2*	10	03	192.28
9801-248	2 x 2 x 3/4*	10	03	192.28
9801-249	2 x 2 x 1*	10	03	192.28
9801-251	2 x 2 x 1 1/2*	10	03	192.28
NEW 9801-289	2 1/2 x 2 1/2 x 1	10	03	220.82
9801-291	2 1/2 x 2 1/2 x 1 1/2*	5	03	220.79
9801-292	2 1/2 x 2 1/2 x 2*	5	03	228.57
9801-333	3 x 3 x 1/2*	5	03	486.00
9801-334	3 x 3 x 3/4	5	03	486.00
9801-335	3 x 3 x 1	5	03	392.32
9801-336	3 x 3 x 1 1/4*	5	03	470.55
9801-338	3 x 3 x 2	5	03	392.32
9801-339	3 x 3 x 2 1/2*	6	03	392.32
9801-415	4 x 4 x 1/2*	5	03	596.65
9801-416	4 x 4 x 3/4*	5	03	596.65
9801-417	4 x 4 x 1*	5	03	596.65
9801-418	4 x 4 x 1 1/4*	5	03	596.65
9801-419	4 x 4 x 1 1/2*	5	03	596.65
9801-420	4 x 4 x 2	5	03	495.86
NEW 9801-421	4 x 4 x 2 1/2*	5	03	667.23
9801-422	4 x 4 x 3*	5	03	495.86
NEW 9801-525	6 x 6 x 1*	6	03	1705.60
NEW 9801-526	6 x 6 x 1 1/4*	4	03	1705.60
NEW 9801-527	6 x 6 x 1 1/2*	4	03	1705.60
NEW 9801-528	6 x 6 x 2*	6	03	1584.70
NEW 9801-529	6 x 6 x 2 1/2*	4	03	1749.48
9801-530	6 x 6 x 3*	4	03	1584.70



Slip x Slip x FPT

TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
9802-005	1/2	25	03	77.96
9802-007	3/4	25	03	130.93
9802-010	1	25	03	129.91

Slip x Slip x FPT

REDUCER TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9802-072	1/2 x 1/4	25	03	43.21
NEW 9802-101	3/4 x 3/4 x 1/2*	15	03	48.34
NEW 9802-130	1 x 1 x 1/2*	50	03	97.02
NEW 9802-131	1 x 1 x 3/4*	15	03	97.02
NEW 9802-166	1 1/4 x 1/2	25	03	167.20
NEW 9802-167	1 1/4 x 3/4	15	03	167.20
NEW 9802-168	1 1/4 x 1 1/4 x 1*	10	03	167.18
NEW 9802-209	1 1/2 x 1/2	25	03	247.23
NEW 9802-210	1 1/2 x 3/4	20	03	247.23
NEW 9802-211	1 1/2 x 1 1/2 x 1*	10	03	247.24
NEW 9802-212	1 1/2 x 1 1/2 x 1 1/4*	10	03	247.24
NEW 9802-247	2 x 2 x 1/2*	10	03	310.22
NEW 9802-248	2 x 3/4	10	03	310.21
NEW 9802-249	2 x 1	10	03	310.21
NEW 9802-250	2 x 1 1/4	10	03	310.21
NEW 9802-251	2 x 2 x 1 1/2*	10	03	310.22
NEW 9802-292	2 1/2 x 2	10	03	449.83
NEW 9802-333	3 x 3 x 1/2*	5	03	689.39
NEW 9802-334	3 x 3 x 3/4*	5	03	689.39
NEW 9802-335	3 x 1	5	03	689.38
NEW 9802-336	3 x 1 1/4	5	03	689.38
NEW 9802-337	3 x 3 x 1 1/2*	5	03	689.39
NEW 9802-338	3 x 3 x 2*	5	03	689.39
NEW 9802-339	3 x 2 1/2	5	03	689.38
NEW 9802-415	4 x 4 x 1/2*	5	03	1154.54
NEW 9802-416	4 x 3/4	5	03	1154.54
NEW 9802-417	4 x 1	5	03	1154.54
NEW 9802-418	4 x 1 1/4	5	03	1154.54
NEW 9802-419	4 x 4 x 1 1/2*	5	03	1154.54
NEW 9802-420	4 x 2	5	03	1154.54
NEW 9802-421	4 x 2 1/2	5	03	1154.54
NEW 9802-422	4 x 3	5	03	1154.54
NEW 9802-528	6 x 2	4	03	2251.05
NEW 9802-529	6 x 2 1/2	4	03	2251.05
NEW 9802-530	6 x 3	4	03	2251.05
NEW 9802-532	6 x 4	2	03	2583.97

*Sized with BUSHING

CPVC SCHEDULE 80 PRICE LIST

TEES, ELBOWS



FPT x FPT x FPT

TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
9805-003	3/8	25	03	68.20
9805-005	1/2	25	03	68.20
9805-007	3/4	25	03	98.33
9805-010	1	25	03	105.87
9805-012	1 1/4	10	03	106.48
9805-015	1 1/2	10	03	111.85
9805-020	2	10	03	124.16
9805-025	2 1/2	5	03	610.62
9805-030	3	5	03	708.47
9805-040	4	5	03	1678.34



Slip x Slip

REDUCING 90° ELL (con't)				
Part No	Size (in)	Ctn Qty	Code	List Price
9806-337	3 x 1 1/2*	5	03	333.67
9806-338	3 x 2*	5	03	325.70
9806-339	3 x 2 1/2*	5	03	324.09
9806-420	4 x 2*	5	03	578.78
9806-422	4 x 3*	5	03	571.18
9806-528	6 x 2*	4	03	1427.41
9806-530	6 x 3*	4	03	1690.79
9806-532	6 x 4*	4	03	1255.99
9806-535	6 x 6 x 8*	1	03	6957.79

*Sized with BUSHING

ELBOWS



Slip x Slip

90° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
9806-002	1/4	25	03	33.47
9806-005	1/2	25	03	13.08
9806-007	3/4	25	03	16.72
9806-010	1	25	03	26.53
9806-012	1 1/4	10	03	57.43
9806-015	1 1/2	10	03	64.11
9806-020	2	10	03	77.36
9806-025	2 1/2	5	03	178.09
9806-030	3	5	03	201.67
9806-040	4	5	03	363.15
9806-060	6	4	03	729.76
9806-080	8	1	03	1785.83



Slip x FPT

90° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
9807-005	1/2	25	03	34.57
9807-007	3/4	25	03	40.63
9807-010	1	25	03	53.16
9807-012	1 1/4	10	03	77.96
9807-015	1 1/2	10	03	118.09
9807-020	2	10	03	151.59



Slip x FPT

REDUCING 90° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9807-072	1/2 x 1/4*	25		44.01
NEW 9807-101	3/4 x 1/2*	25		33.16
NEW 9807-130	1 x 1/2*	25		47.37
NEW 9807-131	1 x 3/4*	25		47.37
NEW 9807-166	1 1/4 x 1/2*	10		125.40
NEW 9807-167	1 1/4 x 3/4*	10		125.40
NEW 9807-168	1 1/4 x 1*	10		81.84
NEW 9807-209	1 1/2 x 1/2*	10		256.13
NEW 9807-210	1 1/2 x 3/4*	10		149.27
NEW 9807-211	1 1/2 x 1*	10		104.90
NEW 9807-212	1 1/2 x 1 1/4*	10		102.12
NEW 9807-247	2 x 1/2*	10		123.86
NEW 9807-248	2 x 3/4*	10		178.59
NEW 9807-249	2 x 1*	10		180.59
NEW 9807-250	2 x 1 1/4*	10		177.79
NEW 9807-251	2 x 1 1/2*	10		120.25
NEW 9807-292	2 1/2 x 2*	5		601.02
NEW 9807-338	3 x 2*	5		342.07
NEW 9807-339	3 x 2 1/2*	5		1423.78
NEW 9807-420	4 x 2*	5		687.09
NEW 9807-422	4 x 3*	5		2298.18
NEW 9807-532	6 x 4*	4		808.84

*Sized with BUSHING



Slip x Slip

REDUCING 90° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9806-072	1/2 x 1/4*	25	03	104.02
NEW 9806-073	1/2 x 3/8*	25	03	41.65
NEW 9806-101	3/4 x 1/2*	25	03	44.89
NEW 9806-130	1 x 1/2*	25	03	52.12
NEW 9806-131	1 x 3/4*	25	03	50.52
NEW 9806-166	1 1/4 x 1/2*	10	03	125.40
NEW 9806-167	1 1/4 x 3/4*	10	03	83.84
NEW 9806-168	1 1/4 x 1*	10	03	79.74
NEW 9806-209	1 1/2 x 1/2*	10	03	233.00
NEW 9806-210	1 1/2 x 3/4*	10	03	100.12
NEW 9806-211	1 1/2 x 1*	10	03	98.92
NEW 9806-212	1 1/2 x 1 1/4*	10	03	96.53
NEW 9806-247	2 x 1/2*	10	03	126.89
NEW 9806-248	2 x 3/4*	10	03	126.51
NEW 9806-249	2 x 1*	10	03	134.90
NEW 9806-250	2 x 1 1/4*	10	03	130.49
NEW 9806-251	2 x 1 1/2*	10	03	119.71
NEW 9806-289	2 1/2 x 1*	5	03	335.29
NEW 9806-290	2 1/2 x 1 1/4*	5	03	317.71
NEW 9806-291	2 1/2 x 1 1/2*	5	03	306.90
NEW 9806-292	2 1/2 x 2*	5	03	243.36
NEW 9806-335	3 x 1*	5	03	396.03
NEW 9806-336	3 x 1 1/4*	5	03	394.42



FPT x FPT


90° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
9808-003	3/8	25	03	35.11
9808-005	1/2	25	03	20.37
9808-007	3/4	25	03	30.50
9808-010	1	25	03	42.78
9808-012	1 1/4	10	03	82.43
9808-015	1 1/2	10	03	88.68
9808-020	2	10	03	118.88



Slip x Slip

45° ELL

Part No	Size (in)	Ctn Qty	Code	List Price
9817-002	1/4	25	03	49.75
9817-005	1/2	25	03	16.02
9817-007	3/4	25	03	23.13
9817-010	1	25	03	36.86
9817-012	1 1/4	10	03	72.28
9817-015	1 1/2	10	03	74.22
9817-020	2	10	03	83.26
9817-025	2 1/2	5	03	170.08
9817-030	3	5	03	218.59
9817-040	4	5	03	300.07
9817-060	6	2	03	924.39
9817-080	8	2	03	1923.25



FPT x FPT

45° ELL

Part No	Size (in)	Ctn Qty	Code	List Price
9819-003	3/8	25	03	46.67
9819-005	1/2	25	03	44.24
9819-007	3/4	25	03	48.61
9819-010	1	25	03	53.49
9819-012	1 1/4	10	03	91.37
9819-015	1 1/2	10	03	91.37
9819-020	2	10	03	120.61

COUPLINGS

Slip x Slip

COUPLING

Part No	Size (in)	Ctn Qty	Code	List Price
9829-002*	1/4	25	03	35.59
9829-005	1/2	25	03	13.83
9829-007	3/4	25	03	19.35
9829-010	1	25	03	26.08
9829-012	1 1/4	10	03	39.00
9829-015	1 1/2	10	03	49.09
9829-020	2	10	03	57.11
9829-025	2 1/2	5	03	127.09
9829-030*	3	5	03	138.05
9829-040*	4	5	03	180.88
9829-060*	6	5	03	426.05
9829-080*	8	4	03	1151.43

*Smooth outer surface not Hex design.



Slip x Slip

REDUCER COUPLING

Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9829-072	1/2 x 1/4*	25	03	93.00
9829-101	3/4 x 1/2	50	03	36.17
9829-130	1 x 1/2 *	25	03	51.65
9829-131	1 x 3/4	25	03	51.64
NEW 9829-166	1 1/4 x 1/2*	25	03	118.26
9829-167	1 1/4 x 3/4*	10	03	118.26
9829-168	1 1/4 x 1*	25	03	118.26
9829-209	1 1/2 x 1/2*	10	03	117.29
9829-210	1 1/2 x 3/4*	10	03	117.29
9829-211	1 1/2 x 1*	25	03	117.32
9829-212	1 1/2 x 1 1/4 *	20	03	117.29
9829-247	2 x 1/2*	25	03	155.11
9829-248	2 x 3/4*	10	03	155.11




Slip x Slip

REDUCER COUPLING (con't)

Part No	Size (in)	Ctn Qty	Code	List Price
9829-249	2 x 1*	10	03	155.11
9829-250	2 x 1 1/4*	10	03	155.11
9829-251	2 x 1 1/2	10	03	155.11
NEW 9829-290	2 1/2 x 1 1/4*	10	03	250.45
NEW 9829-291	2 1/2 x 1 1/2*	10	03	176.63
9829-292	2 1/2 x 2*	10	03	176.63
9829-335	3 x 1*	8	03	436.85
9829-336	3 x 1 1/4*	6	03	450.20
9829-337	3 x 1 1/2*	8	03	450.20
9829-338	3 x 2	5	03	356.89
9829-339	3 x 2 1/2*	10	03	358.39
9829-417	4 x 1*	5	03	281.45
9829-419	4 x 1 1/2*	4	03	514.66
9829-420	4 x 2*	6	03	425.72
9829-421	4 x 2 1/2*	4	03	425.72
9829-422	4 x 3	5	03	425.72
NEW 9829-528	6 x 2*	6	30	1126.26
9829-530	6 x 3*	2	03	1149.28
9829-532	6 x 4*	2	03	967.10
9829-585	8 x 6	2	03	1675.59

*Sized with BUSHING



FPT x FPT

COUPLING

Part No	Size (in)	Ctn Qty	Code	List Price
9830-003	3/8	25	03	44.67
9830-005	1/2	25	03	36.86
9830-007	3/4	25	03	59.45
9830-010	1	25	03	67.49
9830-012	1 1/4	10	03	71.55
9830-015	1 1/2	10	03	76.88
9830-020	2	10	03	90.67



FPT x FPT

COUPLING SPECIAL REINFORCED

Part No	Size (in)	Ctn Qty	Code	List Price
NEW 9830-005SR	1/2	25	03	83.36
NEW 9830-007SR	3/4	25	03	134.71
NEW 9830-010SR	1	25	03	153.05
NEW 9830-012SR	1 1/4	10	03	162.62
NEW 9830-015SR	1 1/2	10	03	174.26
NEW 9830-020SR	2	10	03	205.96

CPVC SCHEDULE 80 PRICE LIST

ADAPTERS, BUSHINGS

ADAPTERS



Slip x FPT

FEMALE ADAPTER

Part No	Size (in)	Ctn Qty	Code	List Price
9835-002	1/4	25	03	45.18
9835-005	1/2	25	03	22.38
9835-007	3/4	25	03	23.59
9835-010	1	25	03	54.59
9835-012	1 1/4	10	03	55.89
9835-015	1 1/2	10	03	65.09
9835-020	2	10	03	112.22
9835-025	2 1/2	5	03	215.24
9835-030	3	5	03	441.64
9835-040	4	5	03	735.12



Slip x FPT

FEMALE ADAPTER (SPECIAL REINFORCED)

Part No	Size (in)	Ctn Qty	Code	List Price
9835-005SR	1/2	25	03	50.18
9835-007SR	3/4	25	03	54.27
9835-010SR	1	25	03	123.87
9835-012SR	1 1/4	10	03	127.13
9835-015SR	1 1/2	10	03	147.48
9835-020SR	2	10	03	209.60




MPT x Slip

MALE ADAPTER

Part No	Size (in)	Ctn Qty	Code	List Price
9836-005	1/2	25	03	17.86
9836-007	3/4	25	03	21.80
9836-010	1	25	03	36.72
9836-012	1 1/4	10	03	54.10
9836-015	1 1/2	10	03	73.22
9836-020	2	10	03	99.27
9836-025	2 1/2	5	03	270.64
9836-030	3	5	03	363.77
9836-040	4	5	03	614.93

BUSHINGS




SP x Slip

REDUCER BUSHING

Part No	Size (in)	Ctn Qty	Code	List Price
9837-052	3/8 x 1/4	25	03	28.95
9837-072	1/2 x 1/4	25	03	28.95
9837-073	1/2 x 3/8	25	03	28.95
9837-101	3/4 x 1/2	25	03	14.79
9837-129	1 x 3/8*	50	03	50.26
9837-130	1 x 1/2	25	03	22.93
9837-131	1 x 3/4	25	03	22.93
9837-166	1 1/4 x 1/2*	25	03	60.85
9837-167	1 1/4 x 3/4	25	03	60.85
9837-168	1 1/4 x 1	10	03	60.85
9837-209	1 1/2 x 1/2*	25	03	68.83
9837-210	1 1/2 x 3/4	10	03	68.83
9837-211	1 1/2 x 1	10	03	68.83
9837-212	1 1/2 x 1 1/4	10	03	68.83
9837-247	2 x 1/2	10	03	88.83
9837-248	2 x 3/4	10	03	88.83
9837-249	2 x 1	10	03	88.83
9837-250	2 x 1 1/4	10	03	88.83
9837-251	2 x 1 1/2	10	03	88.83
NEW 9837-287	2 1/2 x 1/2*	5	03	172.96
NEW 9837-288	2 1/2 x 3/4*	5	03	171.36
9837-289	2 1/2 x 1*	5	03	152.74
9837-290	2 1/2 x 1 1/4*	10	03	108.15
9837-291	2 1/2 x 1 1/2 *	5	03	108.15
9837-292	2 1/2 x 2	10	03	108.13
9837-333	3 x 1/2*	10	03	191.54
9837-334	3 x 3/4 *	10	03	188.39
9837-335	3 x 1*	10	03	164.79
9837-336	3 x 1 1/4*	10	03	164.79
9837-337	3 x 1 1/2	5	03	164.79
9837-338	3 x 2	5	03	164.79
9837-339	3 x 2 1/2	5	03	164.79
NEW 9837-415	4 X 1/2*	5	03	157.70
9837-416	4 x 3/4*	10	03	276.57
9837-417	4 x 1*	6	03	296.30
9837-418	4 x 1 1/4 *	6	03	296.30
9837-419	4 x 1 1/2*	6	03	276.59
9837-420	4 x 2	5	03	182.21
9837-421	4 x 2 1/2*	5	03	182.21
9837-422	4 x 3	5	03	182.21
NEW 9837-524	6 x 3/4*	5	03	679.82
NEW 9837-525	6 x 1*	5	03	695.23
NEW 9837-526	6 x 1 1/4*	5	03	690.84
NEW 9837-527	6 x 1 1/2*	5	03	680.05
9837-528	6 x 2*	5	03	390.96
NEW 9837-529	6 x 2 1/2*	2	03	966.68
9837-530	6 x 3*	5	03	390.96
9837-532	6 x 4	5	03	388.20
NEW 9837-580	8 x 3*	4	03	3799.85
NEW 9837-582	8 x 4*	4	03	3365.02
9837-585	8 x 6	2	03	1277.97

*Sized with BUSHING




SP x FPT

REDUCER BUSHING (FLUSH STYLE)

Part No	Size (in)	Ctn Qty	Code	List Price
9838-052	3/8 x 1/4	25	03	31.10
9838-072	1/2 x 1/4	25	03	31.10
9838-073	1/2 x 3/8	25	03	31.10
9838-098	3/4 x 1/4*	50	03	34.68
9838-099	3/4 x 3/8*	50	03	34.68
9838-101	3/4 x 1/2	25	03	16.09
NEW 9838-128	1 x 1/4*	25	03	47.12
9838-129	1 x 3/8*	50	03	46.04
9838-130	1 x 1/2	25	03	20.40
9838-131	1 x 3/4	25	03	20.40
9838-166	1 1/4 x 1/2*	25	03	65.90
9838-167	1 1/4 x 3/4*	25	03	65.90
9838-168	1 1/4 x 1	10	03	65.90
9838-209	1 1/2 x 1/2	15	03	81.17
9838-210	1 1/2 x 3/4*	15	03	81.17
9838-211	1 1/2 x 1	10	03	81.17
9838-212	1 1/2 x 1 1/4	10	03	81.17
9838-245	2 x 1/4*	10	03	123.00
9838-247	2 x 1/2	10	03	111.60
9838-248	2 x 3/4*	10	03	111.62
9838-249	2 x 1*	10	03	111.62
9838-250	2 x 1 1/4*	10	03	111.62
9838-251	2 x 1 1/2	10	03	111.60
9838-287	2 1/2 x 1/2*	10	03	178.55
NEW 9838-288	2 1/2 x 3/4*	10	03	178.55
9838-291	2 1/2 x 1 1/2*	10	03	177.33
9838-292	2 1/2 x 2	10	03	177.33
NEW 9838-334	3 x 3/4*	10	03	472.48
9838-335	3 x 1*	10	03	472.49
9838-336	3 x 1 1/4*	10	03	413.33
9838-337	3 x 1 1/2*	10	03	413.33
9838-338	3 x 2	5	03	395.34
9838-339	3 x 2 1/2	5	03	398.54
9838-419	4 x 1 1/2*	5	03	805.57
9838-420	4 x 2*	5	03	805.57
NEW 9838-421	4 x 2 1/2*	6	03	805.57
9838-422	4 x 3	5	03	805.57
NEW 9838-528	6 x 2*	5	03	1624.15
9838-530	6 x 3*	5	03	1624.14

*Sized with BUSHING




MPT x FPT

REDUCER BUSHING (FLUSH STYLE)

Part No	Size (in)	Ctn Qty	Code	List Price
9839-101	3/4 x 1/2	25	03	19.79
9839-130	1 x 1/2	25	03	33.37
9839-131	1 x 3/4	25	03	33.37
9839-166	1 1/4 x 1/2	10	03	66.27
9839-167	1 1/4 x 3/4	10	03	66.27
9839-168	1 1/4 x 1	10	03	65.75
9839-210	1 1/2 x 3/4	25	03	79.80
9839-211	1 1/2 x 1	25	03	79.80
9839-212	1 1/2 x 1 1/4	10	03	79.17
9839-249	2 x 1	10	03	88.25
9839-250	2 x 1 1/4	10	03	88.25
9839-251	2 x 1 1/2	10	03	79.17
9839-292	2 1/2 x 2	10	03	212.15
9839-338	3 x 2	5	03	285.42
9839-420	4 x 2	5	03	490.47
9839-422	4 x 3	5	03	490.47

PLUGS



MPT

PLUG

Part No	Size (in)	Ctn Qty	Code	List Price
9850-002	1/4	25	03	22.41
9850-005	1/2	25	03	19.48
NEW 9850-007	3/4	25	03	24.64
9850-010	1	25	03	40.59
9850-012	1 1/4	10	03	61.29
9850-015	1 1/2	10	03	50.83
9850-020	2	10	03	69.23
9850-030	3	5	03	125.83
9850-040	4	5	03	145.70

CAPS



Slip

CAP

Part No	Size (in)	Ctn Qty	Code	List Price
9847-005	1/2	25	03	21.57
9847-007	3/4	25	03	30.73
9847-010	1	25	03	54.36
9847-012	1 1/4	10	03	59.45
9847-015	1 1/2	10	03	59.45
9847-020	2	10	03	62.74
9847-025	2 1/2	5	03	211.10
9847-030	3	5	03	231.35
9847-040	4	5	03	235.21
9847-060	6	2	03	778.22



FPT

CAP

Part No	Size (in)	Ctn Qty	Code	List Price
9848-002	1/4	50	03	27.87
9848-003	3/8	25	03	27.87
9848-005	1/2	25	03	23.93
9848-007	3/4	25	03	39.63
9848-010	1	25	03	55.48
9848-012	1 1/4	10	03	98.93
9848-015	1 1/2	10	03	101.40
9848-020	2	10	03	146.02
9848-030	3	5	03	443.30
9848-040	4	5	03	643.95

CPVC SCHEDULE 80 PRICE LIST

ADAPTERS, BUSHINGS

WYES



Slip x Slip x Slip

WYE

Part No	Size (in)	Ctn Qty	Code	List Price
9875-020	2	10	03	246.95
9875-030	3	5	03	1217.59
9875-040	4	4	03	1287.28



Blind

FLANGE (BLIND)

Part No	Size (in)	Ctn Qty	Code	List Price
9853-015	1½	10	03	186.99
9853-020	2	10	03	196.43
9853-030	3	5	03	369.43
9853-040	4	5	03	500.40
9853-060	6	2	03	839.36
9853-080	8	5	03	1556.99



Slip x Slip x Slip

REDUCING WYE

Part No	Size (in)	Ctn Qty	Code	List Price
9875-247	2 x 1½*	10	03	342.59
9875-248	2 x ¾*	10	03	342.59
9875-249	2 x 1*	10	03	342.59
9875-250	2 x 1¼*	10	03	342.59
9875-251	2 x 1½*	10	03	342.59
9875-335	3 x 1*	5	03	1409.30
9875-336	3 x 1¼*	5	03	1409.30
9875-337	3 x 1½*	5	03	1409.32
9875-338	3 x 2*	4	03	1409.32
9875-339	3 x 2½*	5	03	1409.32
9875-420	4 x 2*	4	03	1425.09
9875-422	4 x 3*	4	03	1425.09

*Sized with BUSHING



Slip

FLANGE (VAN STONE STYLE - LOOSE RING)

Part No	Size (in)	Ctn Qty	Code	List Price
9854-005	½	25	03	58.68
9854-007	¾	25	03	59.99
9854-010	1	25	03	65.50
9854-012	1¼	5	03	79.92
9854-015	1½	10	03	88.83
9854-020	2	10	03	107.54
9854-025	2½	5	03	222.84
9854-030FT	3	5	03	233.29
9854-040FT	4	5	03	315.03
9854-060FT	6	5	03	536.80
9854-080FT	8	2	03	1615.29
9854-100FT	10	2	93	3888.49
9854-120FT	12	2	93	5834.87

FT Represents FiberTuff Ring.

FLANGES



Slip

FLANGE (SOLID STYLE)

Part No	Size (in)	Ctn Qty	Code	List Price
9851-005	½	25	03	58.28
9851-007	¾	25	03	59.65
9851-010	1	25	03	65.09
9851-012	1¼	10	03	79.48
9851-015	1½	10	03	88.22
9851-020	2	10	03	106.77
9851-025	2½	5	03	221.26
9851-030	3	5	03	231.35
9851-040	4	5	03	312.59
9851-060	6	5	03	532.50



SP

FLANGE (VAN STONE STYLE - LOOSE RING)

Part No	Size (in)	Ctn Qty	Code	List Price
9856-010	1	25	03	82.70
9856-012	1¼	10	03	102.32
9856-015	1½	10	03	113.15
9856-020	2	10	03	158.39
9856-040	4	5	03	279.46
9856-060	6	2	03	610.32
9856-080	8	2	03	1244.14



FPT

FLANGE (SOLID STYLE)

Part No	Size (in)	Ctn Qty	Code	List Price
9852-005	½	25	03	81.51
9852-007	¾	25	03	98.83
9852-010	1	25	03	107.79
9852-012	1¼	10	03	149.60
9852-015	1½	10	03	158.39
9852-020	2	10	03	161.34
9852-030	3	5	03	259.82
9852-040	4	5	03	403.90



FLANGE GASKET

Part No	Size (in)	Ctn Qty	Code	List Price
20GE	FOR 2" FLANGE	25	VB	3.64
25GE	FOR 2½" FLANGE	25	VB	5.39
30GE	FOR 3" FLANGE	25	VB	5.39
40GE	FOR 4" FLANGE	25	VB	6.35
50GE	FOR 5" FLANGE	10	VB	8.49
60GE	FOR 6" FLANGE	10	VB	12.06
80GE	FOR 8" FLANGE	5	VB	18.99
100GE	FOR 10" FLANGE	5	VB	22.15
120GE	FOR 12" FLANGE	5	VB	28.44

NOTE: For bolt size and quantity requirements see page 4.
Gaskets are: EPDM material ANSI B16.5 Class 150 dimensions 1/8" Thick

**FLANGE BOLT KIT**

Part No	Size (in)	Ctn Qty	Code	List Price
F20BSG	FOR 2" FLANGE	12	VB	24.55
F30BSG	FOR 2½" & 3" FLANGE	8	VB	30.97
F40BSG	FOR 4" FLANGE	4	VB	57.40
F50BSG	FOR 5" FLANGE	3	VB	86.09
F80BSG	FOR 6" & 8" FLANGE	2	VB	95.16
F120BSG	FOR 10" & 12" FLANGE	1	VB	217.52

Gasket not included in Bolt Kit.
For Bolt Kit installation Requirements refer to page 4.

UNIONS

Slip x Slip

UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
9897-002	¼	10	03	89.27
9897-005	½	10	03	59.65
9897-007	¾	10	03	62.05
9897-010	1	10	03	74.47
9897-012	1¼	5	03	150.64
9897-015	1½	5	03	153.41
9897-020	2	5	03	254.33
9897-025	2½	5	03	415.93
9897-030	3	5	03	527.80
9897-040	4	1	03	666.65



FPT x FPT

UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
9898-003	⅜	10	03	100.34
9898-005	½	10	03	63.59
9898-007	¾	10	03	112.41
9898-010	1	10	03	155.02
9898-012	1¼	5	03	295.36
9898-015	1½	5	03	295.36
9898-020	2	5	03	333.87



Slip x FPT

UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
9899-005	½	10	03	67.62
9899-007	¾	10	03	117.96
9899-010	1	10	03	162.83
9899-012	1¼	5	03	310.17
9899-015	1½	5	03	310.17
9899-020	2	5	03	350.66
9899-030	3	5	03	673.27



Viton

UNION O-RING (CURRENT STYLE)

Part No	Size (in)	Ctn Qty	Code	List Price
80115	½	1	02	5.35
80118	¾	1	02	5.95
80215	1	1	02	7.29
80221	1¼	1	02	12.49
80223	1½	1	02	13.74
80227	2	1	02	13.74
80235	3	1	02	31.23



Viton

UNION O-RING (PRIOR TO 2004)

Part No	Size (in)	Ctn Qty	Code	List Price
80213	½	1	02	5.35
80216	¾	1	02	5.95
80222	1	1	02	7.29
80225	1¼	1	02	12.49
80227	1½	1	02	13.74
80231	2	1	02	16.86
80240	3	1	02	31.23

STANDARDS AND SPECIFICATIONS – SCHEDULE 80 CPVC

ASTM D-1784 –

Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly Vinyl Chloride (CPVC) Compounds.

ASTM F 437 –

Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80.

ASTM F 439 –

Socket Type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80.

MATERIAL

Westlake Pipe & Fittings Schedule 80 CPVC Fittings are produced from rigid Type IV, Grade I CPVC compound having a minimum Cell Classification of 23447 per ASTM D1784.

- O-Rings are produced from a Fluorocarbon Elastomer (VITON).

LISTINGS

NSF (National Sanitation Foundation) listed for potable water service (NSF Std 61 & Std 14 as applicable).

Contact Westlake Pipe & Fittings Technical Services for additional information regarding applicable standards and specifications.

TERMS AND WARRANTY

As you explore our latest product offerings, the Terms and Conditions and the Warranty information are available on our website through the links below.

[Terms and Conditions](#)


[Warranty](#)

DO NOT USE WESTLAKE FITTINGS FOR COMPRESSED AIR OR GASES.

DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.

DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY WESTLAKE PIPE & FITTINGS.

MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.



www.westlakepipe.com

Sales & Distribution Center

Westlake Pipe & Fittings

414 Morgan Street

Brownsville, TN 38012

T 1.800.776.2756

F 1.731.772.0835

customerservice@westlakepipe.com

Westlake
Pipe & Fittings