LIST PRICE BOOK

NIPPLES
PRESSURE FITTINGS

INCLUDES: SCHEDULE 80 - PVC NIPPLES, SCHEDULE 80 - CPVC NIPPLES, POLYETHYLENE CUT-OFF NIPPLES

Prices Effective May 1, 2026

Westlake
Pipe & Fittings

PRICE GROUP	DESCRIPTION	DISCOUNT MULTIPLIER
04	PVC & CPVC NIPPLES	
B0	POLY NIPPLES	

FOUR-IN-ONE "MULTI LENGTH" POLYETHYLENE CUT-OFF NIPPLES

- The Four-In-One Nipple allows you to choose which size you need with just one nipple
- Reduce inventory
- No waste
- Reduce contractor down-time



½ x 6 and ¾ x 6, MPT x MPT, Cut-Off Nipple

¾ x ½ x 6, MPT x MPT, Cut-Off Nipple

POLYETHYLENE "FOUR IN ONE" CUT-OFF NIPPLE

Part No	Size (in)	Style	Color	Ctn Qty	List Price
M481-005	½ x 6	MPT x MPT	Green	50	2.53
M481-007	¾ x 6	MPT x MPT	Green	25	3.70
M481-101	¾ x ½ x 6	MPT x MPT	Green	50	2.83
M491-005	½ x ½ x 7	MPT x FPT	Green	25	5.41

Poly nipple discounts apply

SCHEDULE 80 REDUCING NIPPLE

Part No	Size (in)	Style	Ctn Qty	List Price
882-101	¾ x ½	TBE	50	3.43

Polyethylene Nipple discount varies from PVC 80 Nipples.
Consult Westlake Pipe & Fittings sales Representative.

TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

CPVC SCHEDULE 80 NIPPLES

Part No	Size	Style	Ctn Qty	Code	Price
9120-040	2 X 4	TOE	10	04	24.91
9120-060	2 X 6	TOE	10	04	31.63
9205-011	½ X CLOSE	TBE	50	04	4.82
9205-020	½ X 2	TBE	50	04	6.24
9205-030	½ X 3	TBE	50	04	8.04
9205-040	½ X 4	TBE	50	04	10.23
9205-050	½ X 5	TBE	50	04	11.63
9205-060	½ X 6	TBE	50	04	13.73
9207-013	¾ X CLOSE	TBE	50	04	6.24
9207-020	¾ X 2	TBE	50	04	8.04
9207-030	¾ X 3	TBE	50	04	10.28
9207-040	¾ X 4	TBE	50	04	12.45
9207-050	¾ X 5	TBE	50	04	14.90
9207-060	¾ X 6	TBE	50	04	23.49
9207-080	¾ X 8	TBE	50	04	28.83
9210-015	1 X CLOSE	TBE	50	04	8.61
9210-020	1 X 2	TBE	50	04	10.28
9210-030	1 X 3	TBE	50	04	13.73

CPVC SCHEDULE 80 NIPPLES (con't)

Part No	Size	Style	Ctn Qty	Code	Price
9210-050	1 X 5	TBE	25	04	22.34
9210-060	1 X 6	TBE	25	04	29.42
9210-120	1 x 12	TBE	50	04	72.80
9212-016	1¼ X CLOSE	TBE	25	04	12.45
9212-020	1¼ X 2	TBE	25	04	25.12
9212-030	1¼ X 3	TBE	25	04	32.99
9212-040	1¼ X 4	TBE	25	04	17.82
9212-050	1¼ X 5	TBE	25	04	27.34
9212-060	1¼ X 6	TBE	25	04	32.22
9215-017	1½ X CLOSE	TBE	25	04	12.17
9215-020	1½ X 2	TBE	25	04	13.57
9215-060	1½ X 6	TBE	25	04	47.15
9215-120	1½ X 12	TBE	25	04	94.35
9215-240	1½ x 24	TBE	25	04	120.24
9220-020	2 x CLOSE	TBE	10	04	15.46
9220-030	2 x 3	TBE	10	04	20.75
9220-060	2 X 6	TBE	10	04	60.40
9220-120	2 X 12	TBE	15	04	120.51
9230-060	3 x 6	TBE	5	04	92.91

TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

PVC SCHEDULE 80 NIPPLES

Uniform Part Numbers				Price	
TBE	TOE	Size (IN)	QTY	TBE	TOE
202-009	–	¼ X CLOSE	50	2.85	–
202-015	–	¼ x 1½	50	3.21	–
202-025	–	¼ x 2½	50	3.55	–
203-020	–	⅜ x 2	50	2.09	–
203-030	–	⅜ x 3	50	2.45	–
205-011*	105-011	½ X 1⅛ CLOSE	50	1.87	3.36
205-015	–	½ x 1½	50	2.01	–
205-020*	105-020	½ X 2	50	2.01	3.82
205-025*	105-025	½ X 2½	50	2.09	3.82
205-030*	105-030	½ X 3	50	2.33	4.33
205-035	–	½ X 3½	50	2.33	–
205-040	105-040	½ X 4	50	2.53	4.65
205-045	–	½ X 4½	50	2.53	–
205-050	105-050	½ X 5	50	2.98	5.71
205-055	–	½ x 5½	50	2.98	–
205-060	105-060	½ X 6	50	3.36	6.20
205-080	105-080	½ X 8	50	3.89	7.23
205-100	105-100	½ X 10	50	4.65	8.61
205-120	105-120	½ X 12	50	5.27	9.38
205-160	105-160	½ X 16	50	6.36	11.83
205-180	105-180	½ X 18	50	7.21	12.89
205-240	105-240	½ X 24	50	8.66	15.99
205-300	105-300	½ X 30	50	18.04	18.04
205-360	105-360	½ X 36	50	28.55	28.55
205-480	105-480	½ X 48	50	30.71	30.71
207-013*	107-013	¾ X 1⅜ CLOSE	50	2.01	3.82
207-015	–	¾ x 1½	50	2.01	–
207-020*	107-020	¾ X 2	50	2.09	3.82
207-025	–	¾ X 2½	50	2.09	–
207-030*	107-030	¾ X 3	50	2.45	4.33
207-035	–	¾ X 3½	50	2.45	–
207-040*	107-040	¾ X 4	50	2.95	4.51
207-045	–	¾ X 4½	50	2.95	–
207-050*	107-050	¾ X 5	50	3.48	6.20
207-060*	107-060	¾ X 6	50	3.97	7.23
207-080*	107-080	¾ X 8	50	4.73	9.93
207-100*	107-100	¾ X 10	50	5.7	10.20
207-120	107-120	¾ X 12	50	6.36	11.83
207-160	107-160	¾ X 16	50	8.13	14.87
207-180	107-180	¾ X 18	50	8.52	15.38
207-240	107-240	¾ X 24	25	10.85	19.98
207-300	107-300	¾ X 30	25	20.23	20.23
207-360	107-360	¾ X 36	25	25.02	25.02
207-480	107-480	¾ X 48	25	32.72	32.72
210-015*	110-015	1 X 1½ CLOSE	50	2.95	5.00
210-020*	110-020	1 X 2 SHORT	50	3.09	5.71
210-030*	110-030	1 X 3	50	3.58	6.20
210-035	–	1 X 3½	50	3.58	–
210-040*	110-040	1 X 4	50	4.21	7.84
210-045	–	1 X 4½	50	4.21	–

Uniform Part Numbers				Price	
TBE	TOE	Size (IN)	QTY	TBE	TOE
210-050*	110-050	1 X 5	50	5.27	9.36
210-055	–	1 X 5½	50	5.27	–
210-060*	110-060	1 X 6	50	5.79	10.20
210-075	–	1 X 7½	50	6.80	–
210-080*	110-080	1 X 8	50	6.80	13.57
210-100*	110-100	1 X 10	50	8.13	14.80
210-120	110-120	1 X 12	50	9.13	16.87
210-160	110-160	1 X 16	50	11.67	21.48
210-180	110-180	1 X 18	50	13.08	23.79
210-240	110-240	1 X 24	20	15.68	28.24
210-300	110-300	1 X 30	20	32.03	32.03
210-360	110-360	1 X 36	20	61.33	61.33
210-480	110-480	1 X 48	20	75.26	75.26
212-016	112-016	1¼ X 1⅝ CLOSE	25	3.71	5.00
212-020	112-020	1¼ X 2	25	3.93	7.23
212-025	112-025	1¼ X 2½	25	3.93	7.84
212-030	112-030	1¼ X 3	25	4.73	8.77
212-035	–	1¼ X 3½	25	4.73	–
212-040	112-040	1¼ X 4	25	5.42	9.93
212-045	–	1¼ X 4½	25	5.42	–
212-050	112-050	1¼ X 5	25	6.51	12.00
212-055	–	1¼ X 5½	25	6.51	–
212-060	112-060	1¼ X 6	25	7.23	13.28
212-080	112-080	1¼ X 8	25	8.66	20.77
212-100	112-100	1¼ X 10	25	10.13	18.35
212-107	–	1¼ X 10¾	25	19.60	–
212-120	112-120	1¼ X 12	25	11.46	20.77
–	112-168	1 x 1¼	10	–	8.77
215-017*	115-017	1½ X 1¾ CLOSE	25	4.65	8.77
215-020*	115-020	1½ X 2 SHORT	25	4.98	8.77
215-025*	115-025	1½ X 2½	25	5.27	9.36
215-030*	115-030*	1½ X 3	25	5.79	10.20
215-040*	115-040	1½ X 4	25	6.64	12.00
215-050	115-050	1½ X 5	25	7.61	13.98
215-060	115-060	1½ X 6	25	8.66	15.86
215-080*	115-080	1½ X 8	25	10.40	18.99
215-100	115-100	1½ X 10	25	12.00	21.96
215-120	115-120	1½ X 12	25	13.75	23.27
215-180	115-180	1½ X 18	25	44.73	44.73
215-240	115-240	1½ X 24	25	56.43	56.43
215-360	–	1½ x 36	10	71.05	–
220-020*	120-020	2 X 2 CLOSE	10	6.10	11.12
220-025	120-025	2 X 2½ SHORT	10	6.80	12.00
220-030*	120-030	2 X 3	10	7.23	13.28
220-035	–	2 x 3½	10	11.26	–
220-040*	120-040	2 X 4	10	8.38	15.13
220-045	–	2 x 4½	10	9.86	–
220-050	120-050	2 X 5	10	9.86	18.17
220-055	–	2 x 5½	10	9.86	–
220-060	120-060	2 X 6	10	11.03	20.01
220-080	120-080	2 X 8	10	13.48	24.71
220-100	120-100	2 X 10	10	15.86	28.97
220-120	120-120	2 X 12	15	18.23	33.16
220-140	120-140	2 X 14	10	35.30	35.30
220-160	120-160	2 X 16	10	68.25	68.25
220-180	120-180	2 X 18	10	81.50	81.50
220-240	120-240	2 X 24	10	76.39	76.39
220-360	–	2 x 36	5	82.37	–

TBE = Threaded Both Ends
TOE = Threaded One End
* Molded

PVC SCHEDULE 80 NIPPLES (con't)

Uniform Part Numbers				Price	
TBE	TOE	Size (IN)	QTY	TBE	TOE
225-025	125-025	2½ X 2½ CLOSE	5	17.37	24.37
225-030	125-030	2½ X 3 SHORT	5	18.33	25.18
225-040	125-040	2½ X 4	5	21.02	29.20
225-050	125-050	2½ X 5	5	24.53	36.01
225-060	125-060	2½ X 6	5	27.39	38.86
225-080	125-080	2½ X 8	5	32.72	45.50
225-100	125-100	2½ X 10	5	39.57	55.32
225-120	125-120	2½ X 12	10	45.22	64.58

Uniform Part Numbers				Price	
230-026	130-026	3 X 2⅝ CLOSE	5	19.85	29.20
230-030	130-030	3 X 3 SHORT	5	21.23	30.01
230-040	130-040	3 X 4	5	25.10	36.54
230-050	130-050	3 X 5	5	28.97	46.23
230-060	130-060	3 X 6	5	32.52	50.05
230-080	130-080	3 X 8	5	40.39	62.38
230-100	130-100	3 X 10	5	48.07	73.95
230-120	130-120	3 X 12	5	54.57	86.34
230-180	130-180	3 X 18	5	143.47	143.47

240-028	140-028	4 X 2⅞ CLOSE	5	32.52	47.47
240-040	140-040	4 X 4 SHORT	5	34.05	48.28
240-050	140-050	4 X 5	5	38.51	66.33
240-060	140-060	4 X 6	5	38.76	68.07
240-080	140-080	4 X 8	5	51.78	87.05
240-090	–	4 X 9	5	55.51	–
240-100	140-100	4 X 10	5	60.76	106.24
240-120	140-120	4 X 12	5	71.14	120.70

STANDARDS AND SPECIFICATIONS – SCHEDULE 80 NIPPLES

ASTM D-2464 – Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.

ASTM F-437 – Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings.

ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.

ASTM D-1785 – Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.

MATERIAL – Westlake Pipe & Fittings Schedule 80 Fittings are produced from PVC Type 1, Grade 1, Cell Classification 12454-B. Westlake Pipe & Fittings CPVC Fittings are produced from Type IV, Grade 1, Cell Classification 23447-B.

Contact Westlake Pipe & Fittings Technical Services for additional information regarding applicable standards and specifications.

TERMS AND WARRANTY

As you explore our latest product offerings, the Terms and Conditions and the Warranty information are available on our website through the links below.

Terms and Conditions

Warranty

DO NOT USE WESTLAKE PIPE & FITTINGS FITTINGS FOR COMPRESSED AIR OR GASES.
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY WESTLAKE PIPE & FITTINGS.
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

⚠WARNING:
USE OF COMPRESSED AIR OR GAS IN PVC/CPVC PIPE AND FITTINGS CAN RESULT IN EXPLOSIVE FAILURES AND CAUSE SEVERE INJURY OR DEATH.

www.westlakepipe.com

Sales & Distribution Center
Westlake Pipe & Fittings
414 Westlake Way
Brownsville, TN 38012
T 1.800.776.2756
F 1.731.772.0835
csbrownsville@westlakepipe.com

Westlake
Pipe & Fittings

FT-PL-005-US-EN-0526.1
©2026 Westlake Pipe & Fittings All rights reserved